

Tiny but Mighty

3.6V/3.7V Li-ion / IMR / INR / ICR:

10440 14500 14650 16340 17335

17500 17670 18350 18490 18500

18650 18700 20700 21700 22650

25500 26650

* Max space for 1x26650+1x21700





Charge Everywhere

Compatible with all 5V USB power including USB wall adaptors, cell phone chargers, solar panel, PC USB, power banks, etc



5V Micro-USB Powered



computer



power line



power bank

Intelligently Adjusts Current

1. Standard 5V 1A adapter--2x0.5A
2. 5V 0.5A adapter/cable--2x0.25A





Battery Life Saver

Originally invented by XTAR, 0V Activation Function brings your over-discharged batteries back to life. We're still leading the technology



Keep Batteries Cool All the Time

15°C maximum temperature rise



Safe, Durable and Peace of Mind



CE, FCC, RoHS certified

1 year warranty

Extra-low safe input voltage

Temperature monitoring

Flame retardant material

Reverse polarity and short circuit protection

MC2 Specification

Model	MC2
Input	DC 5V 1A
Constant Current	0.25A x 2/0.5A x 2
End of Charge Voltage	$4.20 \pm 0.05V$
End of Charge Current	$\leq 120mA$
Operating Temperature	0-40°C
Size	L92mm x W40mm x H32mm
Net Weight	24g

Packing

MC2, USB Power Cord, Instructions

