

# HTJ

## 1/4" panel mount fuse holder family



### Agency information



### Environmental compliance



### Ordering part number

**BK1-HTJ-602I**

Packaging prefix

Family name

Type

### Product features

- For 1/4" fuses
- Panel mount fuse holder
- 250 Vac rating and up to 15 A

### Packaging prefix


- BK1- (1000 parts per case pack)
- BK2- (2000 parts per case pack)
- BK16- (1600 parts per carton)

## Specifications


| Part number   | Voltage rating (Vac) | Current rating (A) | Body material             | Contact/clip material                                                                 | Agency    |
|---------------|----------------------|--------------------|---------------------------|---------------------------------------------------------------------------------------|-----------|
| BK16-HTJ-601I | 250                  | 10                 | Bakelite, UL 94V-0, black | Clip: copper alloy, nickel plated<br>Terminals: brass, nickel plated<br>Spring: steel | cURus, CE |
| BK1-HTJ-602I  | 250                  | 10                 | Bakelite, UL 94V-0, black | Clip: copper alloy, nickel plated<br>Terminals: brass, nickel plated<br>Spring: steel | CE        |
| BK1-HTJ-605I  | 250                  | 10                 | Bakelite, UL 94V-0, black | Clip: brass, nickel plated<br>Terminals: brass, nickel plated<br>Spring: steel        | cURus, CE |
| BK1-HTJ-606I  | 250                  | 10                 | Bakelite, UL 94V-0, black | Clip: brass, tin plated<br>Terminals: brass, tin plated<br>Spring: steel              | cURus, CE |
| BK2-HTJ-608I  | 250                  | 15                 | Bakelite, UL 94V-0, black | Clip: copper alloy, nickel plated<br>Terminals: brass, nickel plated<br>Spring: steel | cURus, CE |

## Dimensions- mm


### HTJ-601I




### HTJ-602I



### HTJ-605I







### HTJ-606I



## Dimensions- mm

### HTJ-608I

Mounting hole



Life Support Policy: Eaton does not authorize the use of any of its products for use in life support devices or systems without the express written approval of an officer of the Company. Life support systems are devices which support or sustain life, and whose failure to perform, when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in significant injury to the user.

Eaton reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Eaton also reserves the right to change or update, without notice, any technical information contained in this bulletin.

**Eaton**  
**Electronics Division**  
1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
Eaton.com/electronics

© 2021 Eaton  
All Rights Reserved  
Printed in USA  
Publication No. ELX1020 BU-ELX21021  
February 2021

Eaton is a registered trademark.

All other trademarks are property  
of their respective owners.

Follow us on social media to get the  
latest product and support information.

